SLB

가

<jyc@piolink.com>


• • VPN ...

(real server) (cluster) 가 (virtual server) < 1> < 1>

(HTTP, TCP = 80)(S-

MTP, TCP = 25) 가

. SLB



(bridge mode)

(routing mode) (two-armed) . (one-armed)


가

1> 가 IP(VIP) 192.168.10.1/24 ,

가

192.168.10.x/24 (x = 2,3,4) . < 1> SLB .

< 1> SLB (bridge mode) (routing mode) (one-armed) (two-armed)




가 , L4/L7 . L4/L7

. IP

. NAT


SLB L4

. < 1> . , < 2> 1 SLB




. , L4 가 . L2 L4

SLB(GSLB)
GSLB



```
가
  . www.a.com
                               )
SLB
                         가
             가
                              가
                                                                    (missed)
 GSLB
                 ( , www.a.com)
                                                                  HTTP
                                                (non) HTTP
                           , DNS
                                                           GSLB
      . DNS
             , GSLB
                                 GSLB
     가
           DNS(Authoritative DNS)
            (proxy)
     DNS
    DNS www.a.com
                                     가
                                              (URL
                                                        )
                                                              L4
                                                                          URL
 DNS
                              DNS
                                                            (hit),
                                                                        가
               GSLB
                              DNS
                                           (missed)
                                                         가
                                                                           URL
                         가
                                가
                       . GSLB
                                                      RTSP(Real Time Sstreaming Protocol
                             e-
                                           : TCP, UDP=554), NNTP(Net News Transfer Pr-
                                           otocol: TCP = 119)
                          . GSLB
     e-
              SLB
                             가
                                             L4
                                                               (Packet Redirection)
   , CDN(Contents Delivery Networks)
                                                        가
                                                                              가
                                                               )
            (Cache Redirection)
                                                              L4
       (WWW)
                  가
                                                        (FWLB)
                  가
                       (trapsparent)
                  (TCP = 80 )
                                             (single point of failure)
                                                               가
```

. FWLB 3가 가 가 가 FWLB , (Public network) (Private network) 2 L4 L4 , L4) . L4 , L4 가 FWLB (illegal packet) 가 . , L4 L4 L4 DMZL4 가 DMZ FWLB . < 5>



VPN (VPNLB)

. VPN


IPSec, L2TP, PP2P . <

(remote access users)

6> VPN VPNLB

VPN

VPN




가

(least-connection), (weighted algorithm) . VPNLB . (NMS,) 가 VPN VPN1, 7> L4 VPN2 가 L4 VPN (NLB) L4 (NLB) . NLB 1508-NLB', F5 ISP(Internet Service Provider) 가 가 NLB L4 ISP


| | L4 | AD |
|---|----|---------|
| | | , |
| • | | < 8M |
| | | < |

NLB

7>



| В | , ISP 3 | ΑĽ | SL | | | |
|-------------------------------|---------|-----|-----|-------|--|--|
| | IP | | Α | IP | | |
| B IP | | | , | ΙP | | |
| PAT(Port Address Translation) | | | | | | |
| | , | | | | | |
| DSL/VDSL | | IP기 | - | | | |
| PAT | IP | | | . NLB | | |
| | | | | , | | |
| , | | , | | | | |
| | | | | | | |
| < 8> E1 | | | | | | |
| Mbps ADSL 3 | | 가 | NLB | | | |



가

| < 2> NLB | | | | |
|----------|-----------------|---------|----|--|
| | | | | |
| NLB | (E1) | 1/30 | | |
| NLB | (E1+1 x ADSL) | 1/300 | 1 | |
| NLB | (E1 + 3 x ADSL) | 1/30000 | 82 | |

ADSL,

| , NL | .B | | | | | |
|------|----|-----|------|-----|---|----|
| | | | . < | 8> | | E1 |
| | | ISP | ADSL | 3 | | |
| | 4 | | | | | , |
| ADSL | | | 10 | | , | 가 |
| | < | 2> | | . (| D | |